

## VCBI AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RWY (M)	Strength (PCN) and surface of RWY and SWY	THR Co-ordinates THR Geoid undulation (GUND)		
1	2	3	4	5		
04	037.54° GEO	3350 X 45	PCN 85/F/B/X/T Asphalt (Stone Mastic Asphalt)	071009.08N 0795228.51E GUND (-)98.3M		
22	217.54° GEO			071135.68N 0795334.87E GUND (-)98.3M		
Designations RWY NR	THR elevation and highest elevation of TDZ of precision APP RWY	Slope of RWY/SWY		SWY Dimension s (M)	CWY Dimensions (M)	
1	6	7		8	9	
04	THR - 7.56M TDZ - 8.06M	Longitudinal Slope : (0M - 2500M) : + 0.06% (2500M - 3350M) : - 0.1% Transverse slope within 1.5%		Nil	260 X 180	
22	THR - 8.31M TDZ - 9.16M	Longitudinal Slope: (0M - 850M) : + 0.1% (850M – 3350M) : - 0.06% Transverse slope within 1.5%		Nil	289 X 180	
Designations NR	RWY	Strip Dimensions (M)	RESA Dimensions (M)	Location and description of arresting system	OBST Free Zone	Remarks
1		10	11	12	13	14
04		3470 X 200	240 X 150	Nil	Nil	RWY Shoulders : 15M either side
22		3470 X 200	200 X 150	Nil	Nil	<b>RWY 04/22 CLOSED BTN 0900- 1130 (UTC) ON EVERY WED FOR SKED MAINT</b>

## VCBI AD 2.13 DECLARED DISTANCES

RWY Designator	Intersection Departures	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	Remarks
1	2	3	4	5	6	7
04	-	3350	3610	3350	3350	NIL
22	-	3350	3639	3350	3350	NIL
04	TWY C	2000	2260	2000	-	NIL
04	TWY D	2514	2774	2514	-	NIL
22	TWY B	2500	2789	2500	-	NIL
22	TWY C	1350	1639	1350	-	NIL